

# Commercial & Industrial Range

DESIGNED WITH YOUR EVERYDAY CLEANING COSTS IN MIND



Nilfisk Professional  
nilfisk.com.au | 1300 556 710





# COMMERCIAL VACUUM CLEANERS



## VP300 HEPA/Eco Dry Commercial

Rated Power	1200/900W
Airflow	1920L/min
Dustbag Capacity	8L
Weight	5.3/5.2kg
Cable Length	10m

## VP600 Detach/Rewind Energy Saving Dry

Rated Power	350W
Airflow	1440L/min
Dustbag Capacity	10L
Weight	7/8kg
Cable Length	10m

## VP600 Battery Energy Saving Dry

Rated Power	650W
Airflow	1300/1600L/min
Dustbag Cap.	10L
Weight	10kg
Vacuum	8.6/12.9kPa
Run Time	60 mins
Charge Time	40 mins

## GD5/GD5 HEPA Backpack

Rated Power	1300W
Airflow	2460L/min
Dustbag Capacity	4L
Weight	4.2kg
Cable Length	15m

## GD5 Battery Backpack Commercial

Rated Power	650W
Airflow	1300/1600L/min
Dustbag Capacity	5L
Weight	8kg
Vacuum	8.6/12.9kPa
Run Time	60 mins
Charge Time	40 mins



## VL200 Compact Wet & Dry

Rated Power	1200W
Airflow	2880L/min
Dustbag Capacity	14L
Weight	7.5kg
Vacuum	23.5kPa

## VL500 35 / 75 Wet & Dry Vacuum

Rated Power	1350W/2400W
Airflow	2880L/4320L/min
Dustbag Capacity	18L/44L
Weight	11.5kg/28.5kg
Cable Length	10m

## GD930S2 Dry Commercial

Rated Power	1000W
Airflow	1440/2100L/min
Dustbag Capacity	15L
Weight	7.5kg
Cable Length	15m

## VU500 12"/15" Upright

Rated Power	1000W
Airflow	2640L/min
Dustbag Capacity	3L
Weight	8 / 8.5kg
Cable Length	10m

## GU700A Large Area Vacuum

Rated Power	2250W
Airflow	3120L/min
Dustbag Capacity	35L
Weight	51kg
Cable Length	23m

The information contained herein is accurate to the best of our knowledge, product specifications may vary per machine.

# CARPET EXTRACTORS



**ES300**  
Extractor

Rated Power	1824W
Solution / Recovery Tank	34/26.5L
Dimensions mm (LxWxH)	711x489x813
Pump Pressure	120psi

**ES4000**  
Extractor/Scrubber

Rated Power	780W
Airflow	2548L/min
Solution/ Recovery Tank	105/105L
Dimensions mm (LxWxH)	610x700x1310
Pump Pressure	100psi



GD5 Backpack Vacuum



# SCRUBBERS & DRYERS



## SC100 Upright Walk Behind

Rated Power	800W
Solution / Recovery Tank	3/4L
Productivity	620/310m <sup>2</sup> /h
Weight	15kg
Scrubbing Width	310mm

## SC250 Upright Walk Behind

Rated Power	300W
Solution / Recovery Tank	6/6L
Productivity	1360/680m <sup>2</sup> /h
Weight	32kg
Max. Run Time	40mins

## SC351 Compact Walk Behind

Rated Power	500W
Solution / Recovery Tank	11/11L
Productivity	1480/890m <sup>2</sup> /h
Weight	80kg
Max. Speed	4km/h

## SC401 Walk Behind Electric/ Battery

Rated Power	1000/730W
Solution / Recovery tank	30/30L
Productivity	1720/860 / 1720/1032m <sup>2</sup> /h
Weight	144/151kg
Airflow (battery)	1518L/min



## SC450 Walk Behind

Rated Power	810W
Solution / Recovery Tank	40/45L
Productivity	2120/1272m <sup>2</sup> /h
Weight	190kg
Airflow	1380L/min

## SC500 Walk Behind

Rated Power	930W
Solution / Recovery Tank	45/45L
Productivity	2650/1590m <sup>2</sup> /h
Weight	207kg
Max. speed	4km/h

## SC1500R Stand On

Rated Power	280W
Solution / Recovery Tank	45/47L
Productivity	2438/1707m <sup>2</sup> /h
Weight	326kg
Max. speed	4.2km/h



The information contained herein is accurate to the best of our knowledge, product specifications may vary per machine.



BA611 Walk Behind	
Rated Power	1230W
Productivity	3420/2055m <sup>2</sup> /h
Solution / Recovery Tank	55/55L
Weight	256kg
Max. speed	5.6km/h

BA651 Walk Behind	
Rated Power	1420W
Productivity	3700/2200m <sup>2</sup> /h
Solution / Recovery Tank	85/85L
Weight	470kg
Max. speed	5.6km/h

SC901 Walk Behind	
Scrub Width	860mm
Vacuum Motor	710W
Solution / Recovery Tank	113/121L
Brush Pressure	41/65/90
Brush Speed	250RPM

SC800-71/SC800-71 Cylindrical Walk Behind	
Rated Power	1890/1910W
Productivity	4120/2470 4990/2990m <sup>2</sup> /h
Solution / Recovery Tank	95/95L
Weight	487/488kg
Max Speed	5.8km/h



SC2000 Ride On	
Rated Power	450W
Productivity	3180/2230m <sup>2</sup> /h
Solution / Recovery Tank	70/70L
Scrubbing width	530mm
Weight	155/208kg

BR752 Ride On	
Rated Power	1500W
Productivity	4260/2980m <sup>2</sup> /h
Solution / Recovery Tank	80/80L
Scrubbing Width	710mm
Weight	448kg

BR855 Ride On	
Rated Power	2160W
Productivity	5400/3800m <sup>2</sup> /h
Solution / Recovery Tank	106/106L
Scrubbing Width	860mm
Weight	660kg

SC6000 Ride On Disc/Cylindrical	
Rated Power	2700W
Productivity	9450/6620   8190/5730m <sup>2</sup> /h
Solution / Recovery Tank	190/190L
Scrubbing width	1016/914mm
Weight	1070/1075kg



SC6500/1100/1300 Ride On Disc/Cylindrical	
Max. Speed	9km/h
Productivity Rate	9000/6300   11700/8190
Scrubbing Width	1000/1300mm
Solution/Recovery Tank	265/265L
Weight	1508/1547kg Cylindrical

SC8000 Ride On LPG/Diesel	
Max. Speed	13km/h
Productivity Rate	19760/13830m <sup>2</sup> /h
Scrubbing/Sweeping Width	1520/1520mm
Solution/Recovery Tank	380/380L
Weight	1454kg

CS7010 Ride On Combination	
Max. Speed	8.9km/h
Input	LPG Hybrid/Diesel/36V B
Scrubbing / Sweeping Width	1245mm / 1540mm
Solution / Recovery Tank	284L
Productivity Rate	13710/9600m <sup>2</sup> /hr



# SWEEPERS



**SW250**  
Manual

Motor Power	Manual
Productivity	3680/1840m <sup>2</sup> /h
Working Width	920mm**
Hopper Volume	38L
Weight	20kg



**SW750**  
Walk Behind Battery

Motor Power	12V Battery
Productivity	2880/1730m <sup>2</sup> /h*
Working Width	720mm
Hopper Volume	60L
Onboard Battery & Charger	Up to 2hrs runtime



**SW900**  
Battery Walk Behind

Motor Power	12V Battery
Productivity	3715/2230m <sup>2</sup> /h*
Working Width	825mm
Hopper Volume	60L
Max. Speed	4.5km/h



**SR1000S**  
Battery Ride On

Battery Source	24V
Productivity	5500/3850m <sup>2</sup> /h**
Working Width	1000mm**
Hopper Volume	50L
Max. Speed	5.5km/h



**SR1101**  
Ride On Battery

Battery Source	24V battery
Productivity	4900/3430m <sup>2</sup> /h
Working Width	980mm*
Hopper Volume	70L
Max. Speed	5km/h



**SW4000**  
Ride On Battery/LPG

Motor Power	24V battery/LPG
Productivity	6825/4780m <sup>2</sup> /h
Working Width	975mm
Hopper Volume	75L
Max. Speed	7km/h



**SW5500**  
Ride on Diesel/LPG/Battery

Motor Power	24V/Diesel/LPG
Productivity	11750/8225 *LPG
Working Width	1175mm*
Hopper Volume	150L
Max. Dumping Height	1650mm



**SR1601**  
Ride on Diesel/LPG/Battery

Motor Power	Diesel/LPG/48V B
Productivity	19200/13400m <sup>2</sup> /h*LPG
Working Width	1600mm**
Hopper Volume	315L
Max. Dumping Height	1590mm



**SW8000**  
Ride On Diesel/LPG

Motor Power	Diesel/LPG
Productivity	2900/203000m <sup>2</sup> /h**
Working Width	2000mm**
Hopper Volume	400L
Max. dumping height	1520mm

\* with 1 side broom

\*\* with 2 side brooms

The information contained herein is accurate to the best of our knowledge, product specifications may vary per machine.

# INDUSTRIAL VACUUM CLEANERS



## GM80B/Professional Dry - Industrial

Rated Power	1200W
Airflow	136.8m³/h
Dust Bag Capacity	6.5L
Weight	5kg
Cable Length	10m

## VHS 40 Wet & Dry Industrial

Rated Power	1200W
Airflow	270m³/h
Container Volume	12L
Vacuum	250mbar
Weight	14.5kg

## VHS 42 L30 MC PC Wet & Dry Industrial

Rated Power	1200W
Airflow	270m³/h
Container Volume	30l-max
Vacuum	250 mbar
Weight	14.5kg

## VHS 42 L40 MC IC Wet & Dry Industrial

Rated Power	1200W
Airflow	270m³/h
Container Volume	42l-max
Vacuum	250 mbar
Weight	16kg



## Attix 751-61 Wet - Pump out Industrial

Rated Power	1500W
Airflow	186m³/h
Container Volume	70L
Vacuum	230mbar
Weight	33kg



## Attix 761-21XC Wet - Pump out Industrial

Rated Power	1200W
Airflow	216m³/h
Container Volume	70L
Vacuum	230mbar
Weight	27kg

Includes Xtreme Clean filter cleaning system



# INDUSTRIAL VACUUM CLEANERS



## IVB 965 OL Wet & Dry Industrial

Rated Power	2x1200W
Tank Capacity	50L
Main Filter Area	7800cm <sup>2</sup>
Airflow	2 x 216m <sup>3</sup> /h
Vacuum	250 mbar
Weight	45kg

## IVB 965 SD XC Wet & Dry Industrial

Rated Power	2x1200W
Tank Capacity	50L
Main Filter Area	7800cm <sup>2</sup>
Airflow	432m <sup>3</sup> /h
Vacuum	230 mbar
Weight	45kg

## 118 Industrial

Rated Power	1000W
Tank Capacity	25L
Main Filter Area	8000cm <sup>2</sup>
Airflow	162m <sup>3</sup> /h
Vacuum	215 mbar
Weight	26kg

## VHS 120 LC Wet & dry

Rated Power	2kW
Tank Capacity	50L
Main Filter Area	16000cm <sup>2</sup>
Airflow	312m <sup>3</sup> /h
Vacuum	210 mbar
Weight	38kg

## VHS 120 MC Wet & dry

Rated Power	2kW
Tank Capacity	37L
Main Filter Area	16000cm <sup>2</sup>
Airflow	312m <sup>3</sup> /h
Vacuum	210 mbar
Weight	51kg



## S2 L40 MC Industrial

Rated Power	2 x 1000W
Airflow	330m <sup>3</sup> /hr
Vacuum	211mbar
Tank Capacity	40L
Main Filter Area	19,500cm <sup>2</sup>

## S3 N24 L50 FM Industrial

Rated Power	2.4kW
Airflow	486m <sup>3</sup> /hr
Vacuum	211mbar
Tank Capacity	50L
Main Filter Area	19,500cm <sup>2</sup>

## ECO OIL 13 Oil vacuum series

Rated Power	1.3kW
Airflow	161 m <sup>3</sup> /h
Vacuum	313 mbar
Max Liquid Capacity	180L
Shaving Capacity	30L

## VHO 200 Oil vacuum series

Rated Power	2.4kW
Airflow	270m <sup>3</sup> /h
Vacuum	230mbar
Max Liquid Capacity	75L
Shaving Capacity	22L

The information contained herein is accurate to the best of our knowledge, product specifications may vary per machine.



# 3 PHASE INDUSTRIAL VACUUMS



T22 L100 Industrial		T40W L100 IC Industrial		T40 L100 Industrial		3907 Series Industrial		3997 Industrial	
Rated Power	2.2kW	Rated Power	4kW	Rated Power	4.3kW	Rated Power	Up to 13kW	Rated Power	22kW
Vacuum	300mbar	Vacuum	290mbar	Vacuum	460mbar	Vacuum	440mbar	Vacuum	620mbar
Airflow	315m³/h	Airflow	516m³/h	Airflow	315m³/h	Airflow	1116m³/h	Airflow	2160m³/h
Capacity	100L	Capacity	100L	Capacity	100L	Capacity	175L	Capacity	175L
Filter Surface	19,500cm²	Filter Surface	19,500cm²	Filter Surface	19,500cm²	Filter Surface	35,000cm²	Filter Surface	110,000cm²

## H-CLASS VACUUMS



VHS 42 L30 HC PC/L40 HC IC Wet & Dry Industrial		ATTIX 751 OH Wet & Dry Industrial		CFM S2 L40HC Industrial		CFM S3 N24 L50 HC Industrial		VHS 120 HC Wet & Dry Industrial	
Rated Power	1200W / 1200W	Rated Power	1000W	Rated Power	2000W	Rated Power	2400W	Rated Power	2kW
Airflow	270 m³/h / 270 m³/h	Airflow	186 m³/h	Filter Area	19,500cm²	Filter Area	19,500cm²	Airflow	312 m³/h
Container Volume	30L / 42L	Container Volume	70L	Inlet	70	Inlet	70	Max Vacuum	210 mbar
Vacuum	250 mbar / 250 mbar	Vacuum	230mbar	Voltage	230/50/60V	Voltage	230/50/60V	Capacity	25L
Weight	14.5kg / 16kg	Weight	25kg	Capacity	38L	Capacity	50L	Filter Area	16000cm²

# WHITE LINE VACUUMS



## VHW311 Industrial

Power	1.5kW
Airflow	209m³/h
Vacuum	240 mbar
Capacity	15L
Filter Surface	4250cm²

## VHW420 Industrial

Rated Power	2.2kW
Airflow	210m³/h
Capacity	46L
Vacuum	306mbar
Filter Surface	10,000m²

## VHW440 Industrial

Rated Power	4.0kW
Airflow	210m³/h
Capacity	46L
Vacuum	420mbar
Filter Surface	10,000m²

## HIGH POWER INDUSTRIAL VACUUMS



The high-power series covers 15 heavy duty standard vacuum models. The power capacity goes from 22 up to 55kW and is ideally suited for use in foundries, cement plants, steel works, incinerating plants and all types of heavy industry requiring quick recovery of large quantities of materials.

## COMBUSTIBLE DUST VACUUMS



## CTT 40 IECEx Wet & Dry Industrial

Rated Power	4kW
Airflow	534 m³/h
Max Vacuum	180 mbar
Capacity	50L
Main Filter Area	19500cm²

## VHS 110 Z22 Wet & Dry Industrial

Rated Power	1.1kW
Airflow	216 m³/h
Max Vacuum	220 mbar
Capacity	37L
Main Filter Area	10000cm²

## AIRVACS



## VHC 120 Z1 EXA Compressed Air Industrial

Air Consumption*	1260
Airflow	202 m³/h
Vacuum	325mbar
Capacity	37L
Main Filter Area	10000cm³

## VHC200 Compressed Air Industrial

Filter Surface	19,000cm²
Airflow	408m³/h
Vacuum	450mbar
Capacity	60L

Atex approved for Zone 1

\* (nl/min., at 6 bar of pressure)

The information contained herein is accurate to the best of our knowledge, product specifications may vary per machine.



## NOTES

[illegible]

# SUPPORT WHEN YOU NEED IT. EXPERIENCE YOU CAN COUNT ON.



## AT NILFISK, WE ENSURE YOUR AFTER SALES SERVICE IS TAILORED TO SUIT YOUR BUSINESS NEEDS. WE DESIGNED AND MANUFACTURED YOUR MACHINE, SO WE KNOW EXACTLY WHAT IT TAKES TO LOOK AFTER IT!

As a Nilfisk machine owner you can feel confident that your machine will deliver maximum cleaning uptime and productivity for your business. As the equipment manufacturer, we know what is required to keep it that way.

Nilfisk offers a range of Service Plans to suit your business – from fixed price Maintenance Agreements to our Annual Service packages - all designed to ensure that your Nilfisk machine operates efficiently and economically.

To us though, Service is more than just a Service Agreement, it is about partnering with you to help achieve your business goals. To do this, we offer free over the phone technical support, online access to technical information, online access to Service and Operating manuals, and a Rental Support fleet to help keep your business running.

### WHAT TO EXPECT FROM NILFISK SERVICE

- ▶ A nationwide network of factory trained Service Technicians and Service Agents
- ▶ Guaranteed response times to breakdowns
- ▶ Nilfisk genuine parts located in all Capital Cities
- ▶ A Preventative Maintenance plan that is tailored to your machine usage
- ▶ Technical Support from a Global, Regional, and Local network of product experts



3 year manufacturers warranty on selected models, as shown.

Conditions apply.



First two services free on selected models, as shown.

Conditions apply.

### SERVICE ENQUIRIES

Call us on **1300 552 607** during business hours, or email **service.au@nilfisk.com**.

### GENERAL ENQUIRIES

Call us on **1300 556 710** during business hours, email **customerservice.au@nilfisk.com**, or visit **www.nilfisk.com.au**.

**Nilfisk**

14 Lidco Street, Arndell Park, NSW 2148  
[www.nilfisk.com.au](http://www.nilfisk.com.au) | [info.au@nilfisk.com](mailto:info.au@nilfisk.com)

