

Chemwatch Hazard Alert Code: 4

Issue Date:16/10/2015

Revision Date: 03/11/2020 L.GHS.AUS.EN

Euca Clean Nowchem

Version No: 2.3

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Euca Clean	
Synonyms	Not Available	
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Cleaning bathroom amenities including showers, baths, floor and wall tiles, toilet bowls and urinals

Details of the supplier of the safety data sheet

Registered company name	Nowchem
Address	112A Albatross Road NSW Australia
Telephone	(02) 4421 4099
Fax	(02) 4421 4932
Website	www.nowchem.com.au
Email	sales@nowchem.com.au

Emergency telephone number

Association / Organisation	Nowchem
Emergency telephone numbers	(02) 4421 4099
Other emergency telephone numbers	0413 809 255

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

ChemWatch Hazard Ratings

	Min	Max	
Flammability	1		
Toxicity	0		0 = Minimum
Body Contact	4		1 = Low
Reactivity	1		2 = Moderate
Chronic	3		3 = High 4 = Extreme

Poisons Schedule	Not Applicable	
Classification ^[1]	Classification ^[1] Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Euca Clean

Hazard pictogram(s)	

Signal word Danger

Hazard statement(s)

H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H335	May cause respiratory irritation.	

Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	

Precautionary statement(s) Prevention

P260	Do not breathe mist/vapours/spray.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P234	P234 Keep only in original container.	

Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P305+P351+P338	F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	mmediately call a POISON CENTER or doctor/physician.	
P321	Specific treatment (see advice on this label).	
P363	Wash contaminated clothing before reuse.	
P390	Absorb spillage to prevent material damage.	
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	

Precautionary statement(s) Storage

P405	Store locked up.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
79-14-1	10-30	glycolic acid
7664-38-2	10-30	phosphoric acid
68439-50-9	<10	alcohols C12-14 ethoxylated
7647-01-0	<1	hydrochloric acid

SECTION 4 First aid measures

Description of first aid measures					
Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 				

Page 3 of 13

Euca Clean

Skin Contact	 If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs).
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

for phosphate salts intoxication:

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.
- Ingestion of large quantities of phosphate salts (over 1.0 grams for an adult) may cause an osmotic catharsis resulting in diarrhoea and probable abdominal cramps. Larger doses such as 4-8 grams will almost certainly cause these effects in everyone. In healthy individuals most of the ingested salt will be excreted in the faeces with the diarrhoea and, thus, not cause any systemic toxicity. Doses greater than 10 grams hypothetically may cause systemic toxicity.
- Treatment should take into consideration both anionic and cation portion of the molecule.
- All phosphate salts, except calcium salts, have a hypothetical risk of hypocalcaemia, so calcium levels should be monitored.

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:
- Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- **DO NOT** attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

- Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- Deep second-degree burns may benefit from topical silver sulfadiazine.

EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 Firefighting measures

Extinguishing media

- Water spray or fog.
- Foam.

Adv

- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	• Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
dvice for firefighters	
	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course.

Fire Fighting	 Prevent, by any means available, spillage from entering drains or water course. Use fire fighting procedures suitable for surrounding area. Do not approach containers suspected to be hot.
0.0	 Cool fire exposed containers with water spray from a protected location.

- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

Page 4 of 13

Euca Clean

May emit acrid smoke and corrosive fumes.
HAZCHEM 2X

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Drains for storage or use areas material. Check regularly for spills and le Clean up all spills immediately. Avoid breathing vapours and co Control personal contact with th Contain and absorb spill with sa Wipe up. Place in a suitable, labelled con 	eaks onta ne s and	ict with sł ubstance , earth, in	kin and eye , by using ert materia	es. protective equipme al or vermiculite.	tments and dilution of spills before discharge or disposal of nt.		
	Chemical Class:acidic compounds, For release onto land: recommende			isted in or	der of priority.			
	SORBENT TYPE RANK APPLICATIO	N	COLLE	CTION	LIMITATIONS			
	LAND SPILL - SMALL		1					
	wood fiber - pillow	1	throw	pitchfork	R, P, DGC, RT			
	cross-linked polymer - particulate	1	shovel	shovel	R,W,SS			
	cross-linked polymer - pillow	1	throw	pitchfork	R, DGC, RT			
	sorbent clay - particulate	2	shovel	shovel	R, I, P			
	foamed glass - pillow	2	throw	pitchfork	R, P, DGC, RT			
	wood fiber - particulate	3	shovel	shovel	R, W, P, DGC			
	LAND SPILL - MEDIUM							
	cross-linked polymer -particulate	1	blower	skiploade	r R, W, SS			
	polypropylene - particulate	2	blower	skiploade	r W, SS, DGC			
	sorbent clay - particulate	2	blower	skiploade	r R, I, P			
	cross-linked polymer - pillow	3	throw	skiploade	r R, DGC, RT			
Major Spills	polypropylene - mat	3	throw	skiploade				
	expanded mineral - particulate	3	blower	skiploade	r R, I, W, P, DGC			
	Legend DGC: Not effective where ground cover is dense R; Not reusable I: Not incinerable P: Effectiveness reduced when rainy RT:Not effective where terrain is rugged SS: Not for use within environmentally sensitive sites W: Effectiveness reduced when windy Reference: Sorbents for Liquid Hazardous Substance Cleanup and Control; R.W Melvold et al: Pollution Technology Review No. 150: Noyes Data Corporation 1988 • Clear area of personnel and move upwind. • Alert Fire Brigade and tell them location and nature of hazard. • Wear full body protective clothing with breathing apparatus. • Prevent, by any means available, spillage from entering drains or water course. • Consider evacuation (or protect in place). • Stop leak if safe to do so. • Collect recoverable product into labelled containers for recycling. • Neutralise/decontaminate residue (see Section 13 for specific agent). • Collect solid residues and seal in labelled drums for disposal. • Wash area and prevent runoff into drains. • After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using. • If contamination of drains or waterways occurs, advise emergency services.							

Personal Protective Equipment advice is contained in Section 8 of the SDS.

Page 5 of 13

Euca Clean

Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. WARNING: To avoid violent reaction, ALWAYS add material to water and NEVER water to material. Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	 DO NOT use aluminium or galvanised containers. Check regularly for spills and leaks. Plastic pail. Polyliner drum. Packing as recommended by manufacturer (HDPE). Check all containers are clearly labelled and free from leaks. Drums and jerricans must be of the non-removable head type. Where a can is to be used as an inner package, the can must have a screwed enclosure.
Storage incompatibility	 Phosphoric acid: is a medium-strong acid which produces violent reaction with bases is a medium-strong acid which produces violent reaction with bases is a medium-strong acid which produces violent react when water is added to the concentrated form reacts possibly violently with solutions containing ammonia or bleach, azo compounds, epoxides and other polymerisable compounds reacts, possibly violently with amines, aldehydes, alkanolamines, alcohols, alkylene oxides, amides, ammonia, ammonia hydroxide, calcium oxide, cyanides, epichlorohydrin, esters, halogenated organics, isocyanates, ketones, oleum, organic anhydrides, sodium tetraborate, sulfides, sulfuric acid, strong oxidisers, vinyl acetate forms explosive mixtures with nitromethane at elevated temperatures datacks many metals producing hydrogen gas at room temperature does not attack stainless steel, copper or its alloys attacks glass, ceramics, and some plastics, rubber and coatings Hydrogen chloride: reacts strongly with strong oxidisers (releasing chlorine gas), acetic anhydride, caesium cyanotridecahydrodecaborate(2-), ethylidene diffuoride, hexalithium dislicide, metal acetylides, sodium, silicon dioxide, tetraselenium tetranitride, and many organic materials is incompatible with alkaline materials, acetic anhydride, acetylides, aliphatic amines, alkanolamines, alkylene oxides, alkylene oxides, alkylene oxides, alkylene oxides, alkylene, size, vanides, chrosulfonic acid, ethylenediamine, ethylenenimine, epichlorohydrin, formaldehyde, isocyanates, metal oxides, suffices, sulfites, sulfites, sulfuric acid, uraninum phydroxide, borides, calcium phosphide, carbides, carbinets, anterias with anita, metal acetylides, sulfites, sulfuric acid, uraninum phydroxide, borides, calcium phosphide, carbides, abrosultes, solations, phylogen gas, and some plastics, rubbers and coatings reacts with axidation flammable hydrogen gas, and some pla

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA							
Source	Ingredient	Material name	TWA	STEL	Peak	Notes	
Australia Exposure Standards	phosphoric acid	Phosphoric acid	1 mg/m3	3 mg/m3	Not Available	Not Available	
Australia Exposure Standards	hydrochloric acid	Hydrogen chloride	Not Available	Not Available	5 ppm / 7.5 mg/m3	Not Available	

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
glycolic acid	Glycolic acid; (Hydroxyacetic acid)	25 mg/m3	280 mg/m3	390 mg/m3
phosphoric acid	Phosphoric acid	Not Available	Not Available	Not Available
hydrochloric acid	Hydrogen chloride; (Hydrochloric acid)	Not Available	Not Available	Not Available

range of exposure concentrations that are expected to protect worker health.

Ingredient	Material name		EL-1	TEEL-2	TEEL-3	
hydrochloric acid	Deuterochloric acid; (Deuterium chloride)		ppm	22 ppm	100 ppm	
Ingredient	Original IDLH		Revised IDLH			
glycolic acid	Not Available		Not Available			
phosphoric acid	1,000 mg/m3		Not Available			
alcohols C12-14 ethoxylated	Not Available		Not Available			
hydrochloric acid	50 ppm		Not Available			
Occupational Exposure Bandir	ng					
Ingredient	Occupational Exposure Band Rating		Occupational Ex	posure Band Limit		
glycolic acid	E		≤ 0.01 mg/m ³			
alcohols C12-14 ethoxylated	E		≤ 0.1 ppm			
Notes:	Occupational exposure banding is a process of assign adverse health outcomes associated with exposure. To	•				

MATERIAL DATA

for hydrogen chloride:

Odour Threshold Value: 0.262 ppm (detection), 10.06 ppm (recognition)

NOTE: Detector tubes for hydrochloric acid, measuring in excess of 1 ppm, are available commercially.

Hydrogen chloride is a strong irritant to the eyes, mucous membranes and skin. Chronic exposure produces a corrosive action on the teeth. Reports of respiratory irritation following short-term exposure at 5 ppm have lead to the recommended TLV-C. There is no indication that skin contact with hydrogen chloride elicits systemic poisoning and a skin designation has not been applied.

Exposure of humans to hydrogen chloride at 50 to 100 ppm for 1 hour is reported to be barely tolerable; 35 ppm caused irritation of the throat on short exposure and 10 ppm was the maximal concentration for prolonged exposure. It has been stated that hydrogen chloride at concentrations of 5 ppm is immediately irritating.

Odour Safety Factor(OSF) OSF=1.3 (HYDROGEN CHLORIDE)

Exposed individuals are NOT reasonably expected to be warned, by smell, that the Exposure Standard is being exceeded.

Odour Safety Factor (OSF) is determined to fall into either Class C, D or E.

The Odour Safety Factor (OSF) is defined as:

OSF= Exposure Standard (TWA) ppm/ Odour Threshold Value (OTV) ppm

Classification into classes follows:

ClassOSF Description

A 550 Over 90% of exposed individuals are aware by smell that the Exposure Standard (TLV-TWA for example) is being reached, even when distracted by working activities B 26-550As 'A' for 50-90% of persons being distracted

C 1-26 As 'A' for less than 50% of persons being distracted

D 0.18-1 10-50% of persons aware of being tested perceive by smell that the Exposure Standard is being reached

E <0.18 As 'D' for less than 10% of persons aware of being tested

The saturated vapour concentration of phosphoric acid exceeds the TLV. The TLV-TWA is based by analogy from comparable experience and data for sulfuric acid. Exposure at or below this limit is thought to prevent throat irritation amongst unacclimatised workers.

Fumes of phosphorus pentoxide at concentrations between 0.8 and 5.4 mg/m3 were reported to be noticeable but not uncomfortable whilst concentrations between 3.6 and 11.3 mg/m3 produced coughing in unacclimatised workers but were tolerable. Concentrations of 100 mg/m3 were unbearable except in inured workers.

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard 'physically' away from the worker and ventilation that strategically 'adds' and 'removes' air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection. An approved self contained breathing apparatus (SCBA) may be required in some situations. Provide adequate ventilation in warehouse or closed storage area.
Personal protection	
Eye and face protection	 Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure. Chemical goggles.whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted. Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection. Alternatively a gas mask may replace splash goggles and face shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or

Page 7 of 13

Euca Clean

	national equivalent]
Skin protection	See Hand protection below
Hands/feet protection	 Elbow length PVC gloves When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
Body protection	See Other protection below
Other protection	 Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit. Ensure there is ready access to a safety shower.

Respiratory protection

Type AB-P Filter of sufficient capacity. (AS/NZS 1716 & amp; 1715, EN 143:2000 & amp; 149:2001, ANSI Z88 or national equivalent)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear Yellow Liquid		
Physical state	Liquid	Relative density (Water = 1)	1.1 - 1.12
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	1 - 2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Non Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Contact with alkaline material liberates heat Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system.
	Acidic corrosives produce respiratory tract irritation with coughing, choking and mucous membrane damage. Symptoms of exposure may include dizziness, headache, nausea and weakness. In more severe exposures, pulmonary oedema may be evident either immediately or after a latent period of 5-72 hours. Symptoms of pulmonary oedema include a tightness in the chest, dyspnoea, frothy sputum and cyanosis. Examination may

	reveal hypotension, a weak and rapid pulse and moist rates. Death, due to anoxia, may occur several hours after onset of the pulmonary oedema. The material has NOT been classified by EC Directives or other classification systems as 'harmful by inhalation'. This is because of the lack of corroborating animal or human evidence. In the absence of such evidence, care should be taken nevertheless to ensure exposure is kept to a minimum and that suitable control measures be used, in an occupational setting to control vapours, fumes and aerosols. Hydrogen chloride (HCI) vapour or fumes present a hazard from a single acute exposure. Exposures of 1300 to 2000 ppm have been lethal to humans in a few minutes. Inhalation of HCI may cause choking, coughing, burning sensation and may cause ulceration of the nose, throat and larynx. Fluid on the lungs followed by generalised lung damage may follow. Breathing of HCI vapour may aggravate asthma and inflammatory or fibrotic pulmonary disease. High concentrations cause necrosis of the tracheal and bronchial epithelium, pulmonary oedema, atelectasis and emphysema and damage to the pulmonary blood vessels and liver. Inhalation of phosphoric acid vapour or mist may cause choking, coughing, headache, weakness and dizziness. Prolonged or repeated inhalation of vapour or mist may cause pulmonary oedema (lung damage) and cyanosis
Ingestion	Ingestion of acidic corrosives may produce circumoral burns with a distinct discolouration of the mucous membranes of the mouth, throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident. Oedema of the epiglottis may produce respiratory distress and possibly, asphyxia. Nausea, vomiting, diarrhoea and a pronounced thirst may occur. More severe exposures may produce a vomitus containing fresh or dark blood and large shreds of mucosa. Shock, with marked hypotension, weak and rapid pulse, shallow respiration and clarmy skin may be symptomatic of the exposure. Circulatory collapse may, if left untreated, result in renal failure. Severe cases may show gastric and oesophageal perforation with peritonitis, fever and abdominal rigidity. Stricture of the oesophageal, gastric and pyloric sphincter may occur as within several weeks or may be delayed for years. Death may be rapid and often results from asphyxia, circulatory collapse or aspiration of even minute amounts. Delayed deaths may be due to peritonitis, severe nephritis or pneumonia. Coma and convulsions may be terminal. The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities in not though to be cause for concem. Phosphates are slowly and incompletely absorbed from the gastrointestinal tract and are unlikely (other than in abuse) to produce the systemic effects which occur when introduced by other routes. Such effects include vomiting, leth
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	When applied to the eye(s) of animals, the material produces severe ocular lesions which are present twenty-four hours or more after instillation. Direct eye contact with acid corrosives may produce pain, lachrymation, photophobia and burns. Mild burns of the epithelia generally recover rapidly and completely. Severe burns produce long-lasting and possible irreversible damage. The appearance of the burn may not be apparent for several weeks after the initial contact. The cornea may ultimately become deeply vascularised and opaque resulting in blindness.
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur. Chronic exposures may result in dermatitis and/or conjunctivitis. The impact of inhaled acidic agents on the respiratory tract depends upon a number of interelated factors. These include physicochemical characteristics, e.g., gas versus aerosol; particle size (small particles can penetrate deeper into the lung); water solubility more soluble agents are more likely to be removed in the nose and mouth). Given the general lack of information on the particle size of aerosols involved in occupational exposures to acids, it is difficult to identify their principal deposition site within the respiratory tract. Acid mists containing particles with a diameter of up to a few micrometers will be deposited in both the upper and lower airways. They are initiating to muccus epithelia, they cause dental erosion, and they produce acute effects in the lungs (symptoms and changes in pulmonary function). Asthmatics appear to be at particular risk for pulmonary effects. Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. There is sufficient evidence to provide a strong presumption that human exposure to the material may result in developmental toxicity, generally on the basis of: - clear evidence in animal studies of impaired fertility in the absence of toxic effects, or evidence of marked maternal toxicity, or at around the same dose levels as other toxic effects but which is not a secondary non-specific consequence of marked maternal toxicity, or at around the same dose levels as other toxic effects but which are not secondary non-specific consequences of the other toxic effects. Limited evidence to provide a strong presumption that human exposure to t

Fuer Olean	TOXICITY	IRRITATION
Euca Clean	Not Available	Not Available

	ΤΟΧΙΟΙΤΥ	IRRITATIO	Ν		
glycolic acid	Inhalation (rat) LC50: 3.6 mg/l/4H ^[2]	Eye: advers	se effect observed (irreversible damage) ^[1]		
	Oral (rat) LD50: =4240 mg/kg ^[2] Skin: adver		rse effect observed (corrosive) ^[1]		
	ΤΟΧΙΟΙΤΥ		IRRITATION		
	=50-100 mg/kg ^[2]		Eye (rabbit): 119 mg - SEVERE		
	Dermal (rabbit) LD50: >1260 mg/kg ^[2]		Eye: adverse effect observed (irritating) ^[1]		
	Inhalation (mouse) LC50: 0.0255 mg/l/4h ^[2]		Skin (rabbit):595 mg/24h - SEVERE		
phosphoric acid	Inhalation (rat) LC50: 0.0255 mg/l/4h ^[2]		Skin: adverse effect observed (corrosive) ^[1]		
	Oral (rat) LD50: 1250 mg/kg ^[2]				
	Oral (rat) LD50: 1530 mg/kg ^[2]				
	Oral (rat) LD50: 3500 mg/kg ^[2]				
	ΤΟΧΙΟΙΤΥ	IRRITATION	1		
	Oral (rat) LD50: >8000 mg/kg ^[2] Eye (rabbi		: irritant *		
alcohols C12-14 ethoxylated	Eye: no ad		erse effect observed (not irritating) ^[1]		
	Skin (rabbi		: irritant *		
	Skin: no advi		erse effect observed (not irritating) ^[1]		
	ΤΟΧΙΟΙΤΥ		IRRITATION		
	1300 mg/kg ^[2]		Eye (rabbit): 5mg/30s - mild		
	3000 mg/kg ^[2]		Eye: adverse effect observed (irritating) ^[1]		
hydrochloric acid	Inhalation (rat) LC50: 780.108879 mg/l/1h ^[2]		Skin: adverse effect observed (corrosive) ^[1]		
	Oral (rabbit) LD50: 900 mg/kg ^[2]		Skin: adverse effect observed (irritating) ^[1]		
	Oral (rat) LD50: =700 mg/kg ^[2]				
Legend:	1 Value obtained from Europe ECHA Registered	d Substances - Acute to	oxicity 2.* Value obtained from manufacturer's SDS. Unless otherwi		

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
			ot available or does not fill the criteria for classification le to make classification

SECTION 12 Ecological information

Euca Clean	Endpoint	Test Duration (hr) Species	Valu	le	Source
	Not Available	Not Available	Not Availab	le Not	Available	ailable Not Available
	Endpoint	Test Duration (hr)	Species		Value	Source
glycolic acid	LC50	96	Fish		>5-mg/L	_ 2
	EC50	48	Crustacea	Crustacea		L 2
	EC50	72	Algae or other aqua	Algae or other aquatic plants		′L 2
	NOEC	72	Algae or other aquatic plants		10mg/L	2
	Endpoint	Test Duration (hr)	Species		Value	Source
	LC50	96	Fish		75.1mg/L	2
phosphoric acid	EC50	48	Crustacea		>5.62mg/	L 2
	EC50	72	Algae or other aqua	tic plants	15.29mg/	L 2
	EC10	72	Algae or other aqua	tic plants	37.7mg/L	2

Euca Clean

	NOEC	72		Algae	or other aquatic plants		3.71mg/L		2
	Endpoint	Test Duration (hr)		Species			Value		Source
alcohols C12-14 ethoxylated	LC50	96		Fish	Fish		0.876mg/	/L	2
	EC50	48		Crusta	Crustacea		0.39mg/L		2
	EC50	72		Algae or other aquatic plants		0.13mg/L		2	
	EC0	72		Algae or other aquatic plants		0.035mg/	/L	2	
	NOEC	72		Algae or other aquatic plants		0.036mg/	/L	2	
	Endpoint		Test Duration (hr)		Species	Value		Source	
hydrochloric acid	Not Available		Not Available		Not Available Not Availabl		e Not Availa		lable
Legend:	Extracted from 1		Toxicity Data 2. Europe I		arad Substances - Ea	ntovicological Inform	ation - Aqua	tic Toxicit	

Toxicity Data (Estimat ity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Harmful to aquatic organisms

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse. Recommended pH values for test species listed in OECD guidelines are between 6.0 and almost 9. Acute testing with fish showed 96h-LC50 at about pH 3.5

for simple alpha-hydroxy carboxylic acids and their salts:

Available experimental and estimated data for simple alpha-hydroxy carboxylic acids indicate that the members of this cluster have a low acute and chronic aquatic toxicity For glycolic acid:

Readily biodegradable

After 7 days 89.65 is biodegraded (closed bottle test). log Kow : -1.11

BOD 5 0.175

Environmental fate:

Glycolic acid is a colorless, odorless, crystalline solid, but is usually supplied as a 70% solution. In this form it is a clear, colorless liquid with a mild odor. As a 70% solution, it has a saturation point of 10 C, boiling point of 112 C, and is non-flammable.

The Henry's Law constant for glycolic acid is estimated to be 8.5 x10-8 atm-m3/mole, therefore glycolic acid will not volatilise rapidly from water surfaces. The estimated half-life from a river is 373.8 days and 2721 days from a model lake based on volatilisation alone, with no accounting for biodegradation. If discharged into water, it is estimated that glycolic acid will partition predominately in the water compartment. Glycolic acid biodegrades quickly, with and without acclimation using a variety of microbial inoculum. Accordingly, glycolic acid is not expected to biopersist or bioaccumulate in the environment.

Ecotoxicity:

Aquatic toxicity: Slight

Fish LC50 (96 h): fathead minnow 164 mg/l; bluegill sunfish 93 mg/l

Daphnia EC50 (48 h): 141 mg/l

Glycolic acid exhibits low toxicity to aquatic organisms. Glycolic acid caused stimulation of algal growth at pH 7.5 under illumination, but when used as a carbon source, did not support heterotrophic growth in the dark.

The principal problems of phosphate contamination of the environment relates to eutrophication processes in lakes and ponds. Phosphorus is an essential plant nutrient and is usually the limiting nutrient for blue-green algae. A lake undergoing eutrophication shows a rapid growth of algae in surface waters. Planktonic algae cause turbidity and flotation films. Shore algae cause ugly muddying, films and damage to reeds. Decay of these algae causes oxygen depletion in the deep water and shallow water near the shore. The process is self-perpetuating because anoxic conditions at the sediment/water interface causes the release of more adsorbed phosphates from the sediment. The growth of algae produces undesirable effects on the treatment of water for drinking purposes, on fisheries, and on the use of lakes for recreational purposes. Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
glycolic acid	LOW	LOW
phosphoric acid	HIGH	HIGH
hydrochloric acid	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
glycolic acid	LOW (LogKOW = -1.11)
phosphoric acid	LOW (LogKOW = -0.7699)
hydrochloric acid	LOW (LogKOW = 0.5392)

Mobility in soil

Ingredient	Mobility
glycolic acid	HIGH (KOC = 1)
phosphoric acid	HIGH (KOC = 1)
hydrochloric acid	LOW (KOC = 14.3)

SECTION 13 Disposal considerations

Page 11 of 13

Euca Clean

Continued...

Draduct / Declaring dispect	 Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product.
Product / Packaging disposal	 Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Treat and neutralise at an approved treatment plant. Treatment should involve: Neutralisation with soda-ash or soda-lime followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus Decontaminate empty containers with 5% aqueous sodium hydroxide or soda ash, followed by water. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 Transport information

Labels Required



Marine Pollutant	NO
HAZCHEM	2X

Land transport (ADG)

UN number	3264	
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
Transport hazard class(es)	Class 8 Subrisk Not Applicable	
Packing group	I	
Environmental hazard	ental hazard Not Applicable	
Special precautions for user	or user Special provisions 274 Limited quantity 1 L	

Air transport (ICAO-IATA / DGR)

UN number	3264			
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. *			
	ICAO/IATA Class	8		
Transport hazard class(es)	ICAO / IATA Subrisk	Not Applicable		
	ERG Code	8L		
Packing group	II			
Environmental hazard	Not Applicable			
	Special provisions		A3 A803	
	Cargo Only Packing In	structions	855	
	Cargo Only Maximum	Qty / Pack	30 L	
Special precautions for user	Passenger and Cargo	Packing Instructions	851	
	Passenger and Cargo Maximum Qty / Pack		1 L	
	Passenger and Cargo	Limited Quantity Packing Instructions	Y840	
	Passenger and Cargo	Limited Maximum Qty / Pack	0.5 L	

Sea transport (IMDG-Code / GGVSee)

UN number	3264		
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.		
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applicable		
Packing group	ll		
Environmental hazard	Not Applicable		
Special precautions for user	serEMS NumberF-A , S-BSpecial provisions274		

Page 12 of 13

Euca Clean

Limited Quantities 1 L

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

	lycolic acid is found on the following regulatory lists			
	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -	Australian Inventory of Industrial Chemicals (AIIC)		
	Schedule 6			
	phosphoric acid is found on the following regulatory lists			
	Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals	Australian Inventory of Industrial Chemicals (AIIC)		
	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5			
alcohols C12-14 ethoxylated is found on the following regulatory lists				
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals		Australian Inventory of Industrial Chemicals (AIIC)		
	hydrochloric acid is found on the following regulatory lists			
	Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals	Australian Inventory of Industrial Chemicals (AIIC)		
	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs		
	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6			

National Inventory Status

National Inventory	Status
Australia - AIIC	Yes
Australia - Non-Industrial Use	No (glycolic acid; phosphoric acid; alcohols C12-14 ethoxylated; hydrochloric acid)
Canada - DSL	Yes
Canada - NDSL	No (glycolic acid; phosphoric acid; alcohols C12-14 ethoxylated; hydrochloric acid)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (alcohols C12-14 ethoxylated)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	No (alcohols C12-14 ethoxylated)
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	16/10/2015
Initial Date	21/07/2015

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

Page 13 of 13

Euca Clean

OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.