

Eucalyptus Disinfectant Nowchem

Version No: 1.1 Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 2

Issue Date: 30/03/2016 Revision Date: 22/01/2021 L.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Dra	l	-	Idan	tifier

Product name	Eucalyptus Disinfectant	
Chemical Name	Not Applicable	
Synonyms	Not Available	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Suitable for disinfecting all hard surfaces leaving a lingering perfumed effect.
--------------------------	--

Details of the supplier of the safety data sheet

Registered company name	Nowchem	
Address	112A Albatross Road NSW Australia	
Telephone	(02) 4421 4099	
Fax	(02) 4421 4932	
Website	www.nowchem.com.au	
Email	sales@nowchem.com.au	

Emergency telephone number

Association / Organisation	Nowchem	
Emergency telephone numbers	(02) 4421 4099	
Other emergency telephone numbers	0413 809 255	

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

ChemWatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	0		0 = Minimum
Body Contact	0		1 = Low
Reactivity	2		2 = Moderate
Chronic	2	i	3 = High 4 = Extreme

Poisons Schedule	Not Applicable	
Classification [1]	lassification [1] Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Skin Sensitizer Category 1	
Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI		

Label elements

Version No: 1.1 Page 2 of 10

Eucalyptus Disinfectant

Issue Date:30/03/2016
Revision Date: 22/01/2021







Signal word

Danger

Hazard statement(s)

H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H317	May cause an allergic skin reaction.	
AUH019	May form explosive peroxides.	

Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	

Precautionary statement(s) Prevention

,,		
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	
P280	Wear protective gloves/eye protection when appropriate.	
P261	Avoid breathing mist/vapours/spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/physician.	
P321	Specific treatment (see advice on this label).	
P362	Take off contaminated clothing and wash before reuse.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
68424-85-1	<10	benzyl C12-16-alkyldimethylammonium chloride
9016-45-9	<1	nonylphenol ethoxylates
92502-70-0	<1	<u>eucalyptus oil</u>
2634-33-5	<1	1.2-benzisothiazoline-3-one

SECTION 4 First aid measures

Description of first aid measures

	▶ If in eyes, hold eyelids apart and flush the eye continuously with running water.
	Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
tact	▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper

Eye Contact Fig. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and and lower lids.

Seek medical attention without delay; if pain persists or recurs seek medical attention.

Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

If skin contact occurs:

Skin Contact | Immediately remove all contaminated clothing, including footwear.

- Flush skin and hair with running water (and soap if available).
- ▶ Seek medical attention in event of irritation.

Version No: 1.1 Page 3 of 10

Eucalyptus Disinfectant

Issue Date:30/03/2016 Revision Date: 22/01/2021

Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. For advice, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
 Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Special flazarus arising from ti	ne substrate of mixture
Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. May emit poisonous fumes. May emit corrosive fumes.
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. After clean up operations, launder all protective clothing and equipment before storing and re-using. If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

▶ Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. Safe handling When handling, **DO NOT** eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. ▶ Use good occupational work practice.

Version No: 1.1 Page 4 of 10

Eucalyptus Disinfectant

Issue Date: 30/03/2016
Revision Date: 22/01/2021

▶ Observe manufacturer's storage and handling recommendations contained within this SDS.

DO NOT allow clothing wet with material to stay in contact with skin

Other information

Conditions for safe storage, including any incompatibilities

Suitable container

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer (HDPE).
- ▶ Check all containers are clearly labelled and free from leaks.

Storage incompatibility

None known

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
benzyl C12-16- alkyldimethylammonium chloride	Quaternary ammonium compounds, benzyl-C12-C16-alkyldimethyl, chlorides	1.3 mg/m3	14 mg/m3	84 mg/m3
nonylphenol ethoxylates	Ethoxylated nonylphenol; (Nonyl phenyl polyethylene glycol ether)	43 mg/m3	470 mg/m3	5,400 mg/m3

Ingredient	Original IDLH	Revised IDLH
benzyl C12-16- alkyldimethylammonium chloride	Not Available	Not Available
nonylphenol ethoxylates	Not Available	Not Available
eucalyptus oil	Not Available	Not Available
1,2-benzisothiazoline-3-one	Not Available	Not Available

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
benzyl C12-16- alkyldimethylammonium chloride	С	> 0.1 to ≤ milligrams per cubic meter of air (mg/m³)
nonylphenol ethoxylates	E	≤ 0.1 ppm
eucalyptus oil	E	≤ 0.1 ppm
1,2-benzisothiazoline-3-one	E	≤ 0.01 mg/m³
Notes:	, , , , , , , , , , , , , , , , , , , ,	als into specific categories or bands based on a chemical's potency and the fthis process is an occupational exposure band (OEB), which corresponds to a

MATERIAL DATA

Exposure controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Appropriate engineering controls

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard 'physically' away from the worker and ventilation that strategically

range of exposure concentrations that are expected to protect worker health.

'adds' and 'removes' air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

Personal protection





Eye and face protection

Safety glasses with side shields.

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or

Skin protection

national equivalent]
See Hand protection below

Hands/feet protection

► Wear chemical protective gloves, e.g. PVC. **NOTE:**

The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.

Version No: 1.1 Page 5 of 10

Eucalyptus Disinfectant

Issue Date:30/03/2016
Revision Date: 22/01/2021

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:

- ▶ frequency and duration of contact,
- be chemical resistance of glove material,
- ▶ glove thickness and
- dexterity

Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).

- When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
- When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
- ▶ Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.
- ► Contaminated gloves should be replaced.

Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

Body protection

See Other protection below

Other protection

- Barrier cream.Skin cleansing cream.
- ► Eye wash unit.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear Green Liquid		
Physical state	Liquid	Relative density (Water = 1)	0.99 - 1.01
Odour	Eucalyptus	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	6 - 8	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Non Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an

Version No: 1.1 Page 6 of 10

Eucalyptus Disinfectant

Issue Date:30/03/2016 Revision Date: 22/01/2021

	occupational setting.					
Ingestion	The material has NOT been classified by EC Directives of corroborating animal or human evidence. The material mere-existing organ (e.g liver, kidney) damage is evident. It producing mortality rather than those producing morbidity vomiting. In an occupational setting however, ingestion of	nay still be damaging to the Present definitions of harm y (disease, ill-health). Gast	e health of t nful or toxic trointestinal	he individual, following ingestion, especially where substances are generally based on doses tract discomfort may produce nausea and		
Skin Contact	The material is not thought to produce adverse health eff models). Nevertheless, good hygiene practice requires the setting. Open cuts, abraded or irritated skin should not be expose Entry into the blood-stream through, for example, cuts, a Examine the skin prior to the use of the material and ensembles.	nat exposure be kept to a r ed to this material brasions, puncture wounds	minimum ar	nd that suitable gloves be used in an occupational , may produce systemic injury with harmful effects		
Еуе	Although the liquid is not thought to be an irritant (as clas characterised by tearing or conjunctival redness (as with	•	lirect contac	ct with the eye may produce transient discomfort		
Chronic	Practical experience shows that skin contact with the ma individuals, and/or of producing a positive response in ex Limited evidence shows that inhalation of the material is greater frequency than would be expected from the respending pulmonary sensitisation, resulting in hyperactive airway of Significant symptoms of exposure may persist for extending nonspecific environmental stimuli such as automobile exil the presence of air, a number of common flavour and the minimise the oxidation.	sperimental animals. capable of inducing a sens onse of a normal populatio dysfunction and pulmonary led periods, even after exp haust, perfumes and passi	sitisation re on. / allergy ma oosure ceas ive smoking	action in a significant number of individuals at a ay be accompanied by fatigue, malaise and aching ses. Symptoms can be activated by a variety of g.		
	TOXICITY	IDDITATI	ION			
Eucalyptus Disinfectant	Not Available	IRRITATION Not Available				
	TOWNEY					
benzyl C12-16- alkyldimethylammonium	Dermal (rabbit) LD50: 1.709 mg/kg ^[1]		RRITATION	: 25 mg SEVERE		
chloride	Oral(Rat) LD50; 450 mg/kg ^[1]		okiii (iabbit)	. 20 Hig OLVENE		
	TOXICITY	IR	RITATION			
nonylphenol ethoxylates	Dermal (rabbit) LD50: 2.08 mg/kg ^[2]	Ey	ye (rabbit):	5 mg SEVERE		
	Oral(Rat) LD50; >0.003 mg/kg ^[2]	Sk	kin (human)): 15 mg/3D mild		
	TOXICITY	IRRITATION				
	TOXICITY Dermal (rabbit) LD50: 2480 mg/kg ^[2]	IRRITATION Eye: adverse effect	t observed	(irritating) ^[1]		
eucalyptus oil						
eucalyptus oil	Dermal (rabbit) LD50: 2480 mg/kg ^[2]	Eye: adverse effec	ffect observ	red (not irritating) ^[1]		
eucalyptus oil	Dermal (rabbit) LD50: 2480 mg/kg ^[2]	Eye: adverse effec	ffect observ	red (not irritating) ^[1]		
eucalyptus oil	Dermal (rabbit) LD50: 2480 mg/kg ^[2]	Eye: adverse effec Eye: no adverse ef Skin (rabbit): 500 n	ffect observ	red (not irritating) ^[1]		
eucalyptus oil 1,2-benzisothiazoline-3-one	Dermal (rabbit) LD50: 2480 mg/kg ^[2] Oral(Rat) LD50; 2480 mg/kg ^[2]	Eye: adverse effective: no adverse effective: no adverse effective: 500 n	ffect observed	red (not irritating) ^[1] od (irritating) ^[1]		
	Dermal (rabbit) LD50: 2480 mg/kg ^[2] Oral(Rat) LD50; 2480 mg/kg ^[2] TOXICITY	Eye: adverse effective: no adverse effective: no adverse effective: 500 n Skin: adverse effective: adverse effective: RRITATION	ffect observ ng/24h - mo ct observed erved (irrev	ed (not irritating) ^[1] od (irritating) ^[1] errsible damage) ^[1]		
	Dermal (rabbit) LD50: 2480 mg/kg ^[2]	Eye: adverse effect Eye: no adverse effect Skin (rabbit): 500 n Skin: adverse effect IRRITATION Eye: adverse effect obse Skin: no adverse effect of adverse effect of access - Acute toxicity 2.* Value of the content	ffect observed ct observed (irreved (irreved) observed (reallule)	ed (not irritating)[1] od (irritating)[1] ersible damage)[1] not irritating)[1]		
1,2-benzisothiazoline-3-one	Dermal (rabbit) LD50: 2480 mg/kg ^[2] Oral(Rat) LD50; 2480 mg/kg ^[2] TOXICITY dermal (rat) LD50: >2000 mg/kg ^[1] Oral(Rat) LD50; 454 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substates	Eye: adverse effect Eye: no adverse effect Skin (rabbit): 500 n Skin: adverse effect IRRITATION Eye: adverse effect obse Skin: no adverse effect of adverse effect of access - Acute toxicity 2.* Value of the content	ifect observed mg/24h - mg/24h	ed (not irritating) ^[1] od (irritating) ^[1] rersible damage) ^[1] not irritating) ^[1]		
1,2-benzisothiazoline-3-one Legend:	Dermal (rabbit) LD50: 2480 mg/kg ^[2] Oral(Rat) LD50; 2480 mg/kg ^[2] TOXICITY dermal (rat) LD50: >2000 mg/kg ^[1] Oral(Rat) LD50; 454 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substaspecified data extracted from RTECS - Register of Toxic	Eye: adverse effect Eye: no adverse effect Skin (rabbit): 500 n Skin: adverse effect IRRITATION Eye: adverse effect obse Skin: no adverse effect of chemical Substan Carcinog	ifect observed mg/24h - mg/24h	red (not irritating)[1] od (irritating)[1] rersible damage)[1] not irritating)[1] ed from manufacturer's SDS. Unless otherwise		
1,2-benzisothiazoline-3-one Legend: Acute Toxicity Skin Irritation/Corrosion	Dermal (rabbit) LD50: 2480 mg/kg ^[2] Oral(Rat) LD50; 2480 mg/kg ^[2] TOXICITY dermal (rat) LD50: >2000 mg/kg ^[1] Oral(Rat) LD50; 454 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substaspecified data extracted from RTECS - Register of Toxic	Eye: adverse effect Eye: no adverse effect Skin (rabbit): 500 n Skin: adverse effect IRRITATION Eye: adverse effect obse Skin: no adverse effect of chemical Substan Carcinog	ffect observed mg/24h - mo et observed erved (irrev observed (r alue obtainances genicity luctivity	red (not irritating)[1] od (irritating)[1] rersible damage)[1] not irritating)[1] ed from manufacturer's SDS. Unless otherwise		
1,2-benzisothiazoline-3-one Legend: Acute Toxicity	Dermal (rabbit) LD50: 2480 mg/kg ^[2] Oral(Rat) LD50; 2480 mg/kg ^[2] TOXICITY dermal (rat) LD50: >2000 mg/kg ^[1] Oral(Rat) LD50; 454 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substaspecified data extracted from RTECS - Register of Toxic	Eye: adverse effect Eye: no adverse effect Skin (rabbit): 500 n Skin: adverse effect IRRITATION Eye: adverse effect observations of the servation of the serva	ffect observed mg/24h - mg/24h	red (not irritating)[1] od (irritating)[1] rersible damage)[1] not irritating)[1] ed from manufacturer's SDS. Unless otherwise		

SECTION 12 Ecological information

I	ОХ	iC	ity

Eucalyptus Disinfectant Endpoint Test Duration (hr) Species Value Source

Version No: 1.1 Page 7 of 10

Eucalyptus Disinfectant

Issue Date:30/03/2016
Revision Date: 22/01/2021

	Not Available		Not Available		Not A	Available		Not Available	N	ot Available
	Endpoint	Т	est Duration (hr)		Spec	ies	Val	ue		Source
benzyl C12-16-	LC50	9	6		Fish		-0.0	-0.05-0.082mg/L		4
alkyldimethylammonium	EC50	4	8		Crust	acea	-0.0	-0.028-0.049mg/L		4
chloride	BCF	1	440		Fish		0.2	0.25-mg/L		4
	NOEC	5	04		Crustacea >=0.0).00415mg/L		2	
	Endpoint		Test Duration (hr)			Species		Value		Source
nonylphenol ethoxylates	NOEC		36.5			Fish		0.0001-mg/L	-	4
	Endpoint	Toet	Duration (hr)	Spec	ios				Value	Source
	LC50	96	Duration (iii)	Fish	.103				0.28mg/L	2
	EC50	48			Crustacea				0.20mg/L	2
	NOEL	86			Fish				3.2mg/L	2
	LC50		96		Fish				0.28mg/L	2
	EC50	48			Crustacea				0.307mg/L	2
eucalyptus oil	EC50	72			Algae or other aquatic plants				>1.6mg/L	2
,	NOEC	48				r aquatic plants			0.247mg/L	2
	LC50		96						4.2mg/L	2
	EC50	48		Fish	Crustacea				20mg/L	2
	EC50	72			Algae or other aquatic plants			13mg/L	2	
	EL0	24		Crus	Crustacea				10mg/L	2
	NOEL	86		Fish	Fish				3.2mg/L	2
	Endpoint	Test	Duration (hr)	Species				Valu	Δ	Source
	LC50	96	()	Fish				-0.067-0.29mg/L		4
,2-benzisothiazoline-3-one	EC50	48		Crustace	a a				7-mg/L	4
,	EC50	72				uatic plants		0.07	-	2
	NOEL	96		Fish		,			1-mg/L	4
Legend:	NOEL Extracted from	96 1. IUCLID	Toxicity Data 2. Europ	Fish De ECHA Region	stered S	ubstances - Ed		0.03	1-mg/L ation - Aquatic	

Harmful to aquatic organisms.

Monomethyltin chloride, thioglycolate esters, and tall oil ester reaction product

Monomethyltin trichloride (MMTC, CAS RN: 993-16-8), monomethyltin tris[2-ethylhexylmercaptoacetate (MMT (EHTG; MMT (2-EHMA)), CAS RN: 57583-34-3), monomethyltin tris[isooctylmercaptoacetate (MMT(iOTG), CAS RN: 54849-38-6), CAS RN: 57583-34-3) and methyltin reverse ester tallate reaction product (TERP, CAS RNs: 201687-58-3, 201687-57-2, 68442-12-6, 151436-98-5) are considered as a single category of compounds for the purpose of an environmental assessment.

All share a MMTC as a building block.

Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Environmental fate

MMT(IOTG), MMT(EHTG), and TERP are sparingly soluble in water (0.6-10.7 mg/L). In water, these monomethyltin compounds undergo rapid degradation by hydrolysis. Although there is no stability data for MMT(EHTG)/(IOTG) or TERP, data for other organotins [DOTC, DBTL and DBT(EHTG)] indicate that the monomethyltin compounds are expected to hydrolyze within minutes to hours in water. The thioester ligands on MMT(EHTG)/(IOTG) will be rapidly displaced to form mono-methyltin hydroxide which eventually precipitates as the oxide. It is also possible that the labile ligands can be displaced by other anions in the medium. The displaced thioester ligands, EHTG/IOTG, can also undergo further hydrolysis of the ester linkage to form thioglycolic acid and ethylhexanol or isooctanol, respectively.

MMTC is a solid at room temperature and melts at 43 deg C, boils at 171 deg C, has a calculated vapour pressure of 1.7 hPa at 25 deg C, and is soluble in water (1038 g/L at 20 deg C). The measured log Kow is -0.9 and MMTC is not readily biodegradable. Atmospheric degradation occurs by photochemical induced hydroxyl radicals, with a half-life of 15.7 days. A Henry's Law constant of 3.83 x 10-7 atm-m3/mol predicts MMTC will volatilize from surface water (t1/2 = 99 days and 3 years for model river and lake, respectively). If released to the environment, MMTC is expected to partition primarily into water (54%) and soil (43%).

In water, MMTC undergoes rapid degradation by hydrolysis and is expected to hydrolyze within minutes. It is expected that the chlorines in MMTC will be displaced to form mono-methyltin hydroxide which eventually precipitates as the oxide (the alkyltin moiety (MMT) was hydrolytically stable at pH 4, 7, and 9 (t1/2 > 1 year at 25 deg C)).

TERP is a liquid at room temperature, boils at 216 deg C, and has a calculated vapour pressure of 0.2 hPa at 25 deg C. TERP is slightly soluble in water (4.4 mg/L), highly hydrophobic (log Kow = 25.5), has low potential for bioaccumulation (log BCF = 2.0), and is readily biodegradable. It is degraded atmospherically by hydroxyl radicals and ozone, with a half-life of 0.5 hours. If released to the environment, TERP is predicted to partition primarily to sediment (99%).

MMT(EHTG) is a liquid at room temperature and has a freezing point of -85 to -65 deg C, decomposes at 260 deg C has a derived vapour pressure of 0.02 hPa at 25 deg C, a calculated log Kow of 10.98, is slightly soluble in water (1.8-6 mg/L), and is readily biodegradable. MMT(EHTG) is also degraded atmospherically, with a half-life of 6.3 hours. A Henry's Law constant of 3.18×10+4 atm-m3/mol predicts MMT(EHTG) will volatilize from surface water (t1/2 = 8 hours and 11 days for a model river and lake, respectively). If released to the environment, MMT(EHTG) is expected to partition primarily into sediment (71%) and soil (25%).

Bioavailability

The considerable difference in the structures of the labile ligands causes differences in water solubility between the alkyltin chloride and thioesters affecting their respective bioavailabilities and distribution in the environment. Furthermore, MMT(EHTG) and MMT(IOTG) will degrade in aqueous solution such that organisms will be exposed to the parent material and their different degradation products. MMTC is not an appropriate surrogate for the thioesters or TERP for the ecotoxicity and environmental fate endpoints.

Version No: 1.1 Page 8 of 10

Eucalyptus Disinfectant

Issue Date: 30/03/2016
Revision Date: 22/01/2021

Ecotoxicity:

In the ecotoxicity tests the organisms were most likely exposed to parent substance as well as hydrolysis/degradation products.

MMTC was not acutely toxic to zebra fish (Brachydanio rerio) (96-h LC50 > 102 mg/L) or Daphnia magna (48-h EC50 > 101 mg/L). MMTC inhibited the growth (72-h EC50 = 0.03 mg/L) and biomass (72-h EC50 = 0.02 mg/L) of the green alga Scenedesmus subspicatus (NOEC = 0.007 mg/L). MMTC was not acutely toxic to earthworms at nominal concentrations up to 1000 mg/kg.

TERP was not acutely toxic to rainbow trout (Oncorhynchus mykiss) (96-hr LC50 >4.4 mg/L), inhibited D. magna survival and mobility (48-h EC50 = 0.27 mg/L), and inhibited growth of the freshwater green alga Pseudokirchneriella subcapitata was (72-h EC50 = 0.64 mg/L; NOEC = 0.28 mg/L).

MMT(EHTG) was not acutely toxic to B. rerio (LC50 > 6 mg/L; NOEC = 3.6 mg/L) and did not inhibit the growth of S. subspicatus (72-h EC50 > 1.84 mg/L; NOEC = 0.6 mg/L). The 21-d EC50 for reproduction in a chronic Daphnia magna study was > 0.134 mg/L (NOEC = 0.134 mg/L).

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential

Ingredient	Bioaccumulation
nonylphenol ethoxylates	LOW (BCF = 1.4)

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods

- ▶ Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible

Otherwise:

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- ▶ Where possible retain label warnings and SDS and observe all notices pertaining to the product.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- ► Reuse
- ► Recycling
- Disposal (if all else fails)

Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- ► Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
benzyl C12-16- alkyldimethylammonium chloride	Not Available
nonylphenol ethoxylates	Not Available
eucalyptus oil	Not Available

Version No: 1.1 Page 9 of 10

Eucalyptus Disinfectant

Issue Date:30/03/2016
Revision Date: 22/01/2021

Product name	Group
1,2-benzisothiazoline-3-one	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
benzyl C12-16- alkyldimethylammonium chloride	Not Available
nonylphenol ethoxylates	Not Available
eucalyptus oil	Not Available
1,2-benzisothiazoline-3-one	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

benzyl C12-16-alkyldimethylammonium chloride is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule $\bf 6$

Australian Inventory of Industrial Chemicals (AIIC)

nonylphenol ethoxylates is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

eucalyptus oil is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

1,2-benzisothiazoline-3-one is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (benzyl C12-16-alkyldimethylammonium chloride; nonylphenol ethoxylates; eucalyptus oil; 1,2-benzisothiazoline-3-one)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (benzyl C12-16-alkyldimethylammonium chloride; eucalyptus oil)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	No (eucalyptus oil)
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	22/01/2021
Initial Date	22/03/2016

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

 ${\sf PC-TWA: Permissible \ Concentration-Time \ Weighted \ Average}$

PC—STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit,

IDLH: Immediately Dangerous to Life or Health Concentrations

Version No: 1.1 Page 10 of 10

Eucalyptus Disinfectant

Issue Date:30/03/2016
Revision Date: 22/01/2021

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.