

# Pink Pearl Hand Soap Nowchem

# Version No: 2.10

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 0 Issue Date:10/02/2016

Revision Date: 11/01/2021 L.GHS.AUS.EN

## SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### **Product Identifier**

Product name	Pink Pearl Hand Soap
Chemical Name	Not Applicable
Synonyms	Not Available
Other means of identification	Not Available

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Everyday hand cleaning applications to remove light soiling	1
Relevant identified uses	Everyday hand cleaning applications to remove light solin	ıg

## Details of the supplier of the safety data sheet

Registered company name	Nowchem
Address	112A Albatross Road NSW Australia
Telephone	(02) 4421 4099
Fax	(02) 4421 4932
Website	www.nowchem.com.au
Email	sales@nowchem.com.au

#### Emergency telephone number

Association / Organisation	Nowchem
Emergency telephone numbers	(02) 4421 4099
Other emergency telephone numbers	0413 809 255

### **SECTION 2 Hazards identification**

#### Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

## ChemWatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	0	1	0 = Minimum
Body Contact	0	1	1 = Low
Reactivity	0	1	2 = Moderate
Chronic	0	1	3 = High 4 = Extreme

Poisons Schedule	Not Applicable
Classification <sup>[1]</sup>	Eye Irritation Category 2A
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Hazard pictogram(s)		
Signal word	Warning	
Hazard statement(s)		
H319	Causes serious eye irritation.	
Precautionary statement(s) Ge	eneral	
P101	If medical advice is needed, have product conta	ainer or label at hand.
P102	Keep out of reach of children.	
P103	Read label before use.	
Precautionary statement(s) Pre	evention	
P280	Wear protective gloves/protective clothing/eye p	protection/face protection.
Precautionary statement(s) Re	1	
P305+P351+P338 P337+P313	IF IN EYES: Rinse cautiously with water for sev If eye irritation persists: Get medical advice/atte	reral minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary statement(s) Sta Not Applicable Precautionary statement(s) Dis Not Applicable		
SECTION 3 Composition / in	nformation on ingredients	
Substances See section below for composition of Mixtures Mixtures		
CAS No	%[weight]	Name
9004-82-4	<10	sodium lauryl ether sulfate
683-10-3	<1	lauryldimethylbetaine
7647-14-5	<10	sodium chloride
SECTION 4 First aid measu	res	
Description of first aid measur	res	
Eye Contact	Eye Contact       If this product comes in contact with eyes:         • Wash out immediately with water.         • If irritation continues, seek medical attention.         • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.	

• • • • • •	<ul> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	If skin irritation occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 Firefighting measures**

# Extinguishing media

There is no restriction on the type of extinguisher which may be used.
 Use extinguishing media suitable for surrounding area.

# Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

### Advice for firefighters

Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> <li>If safe to do so, remove containers from path of fire.</li> <li>Equipment should be thoroughly decontaminated after use.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>
HAZCHEM	Not Applicable

## **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures See section 8

### **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with eyes.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> <li>Wipe up.</li> <li>Place in a suitable, labelled container for waste disposal.</li> </ul>
Major Spills	Moderate hazard.  Prevent, by any means available, spillage from entering drains or water course.  Stop leak if safe to do so.  Contain spill with sand, earth or vermiculite.  Collect recoverable product into labelled containers for recycling.  Collect solid residues and seal in labelled drums for disposal.  Wash area and prevent runoff into drains.  After clean up operations, launder all protective clothing and equipment before storing and re-using.  If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 Handling and storage**

Safe handling	<ul> <li>Use in a well-ventilated area.</li> <li>Avoid contact with incompatible materials.</li> <li>When handling, DO NOT eat, drink or smoke.</li> <li>Keep containers securely sealed when not in use.</li> <li>Avoid physical damage to containers.</li> <li>Use good occupational work practice.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> <li>Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.</li> </ul>
Other information	

## Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer (HDPE).</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	None known

# **SECTION 8 Exposure controls / personal protection**

### **Control parameters**

### Occupational Exposure Limits (OEL)

INGREDIENT DATA

# Not Available

Emergency	Limits
-----------	--------

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium chloride	Chloride; (Chloride(1-); Chloride ions)	0.5 ppm	2 ppm	20 ppm
Ingredient		Revised IDI H		

Ingredient	Original IDLH	Revised IDLH		
sodium lauryl ether sulfate	Not Available	Not Available		
lauryldimethylbetaine	Not Available	Not Available		
sodium chloride	Not Available	Not Available		
Occupational Exposure Banding				
Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit		
sodium lauryl ether sulfate	E	≤ 0.01 mg/m³		
lauryldimethylbetaine	E	≤ 0.1 ppm		

E	≤ 0.01 mg/m <sup>3</sup>
Occupational exposure banding is a process of assigning chemicals into sp adverse health outcomes associated with exposure. The output of this pro range of exposure concentrations that are expected to protect worker heal	cess is an occupational exposure band (OEB), which corresponds to a

### MATERIAL DATA

sodium chloride Notes:

# Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard 'physically' away from the worker and ventilation that strategically 'adds' and 'removes' air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with side shields.</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	Generally not required.
Body protection	See Other protection below
Other protection	<ul> <li>Barrier cream.</li> <li>Skin cleansing cream.</li> </ul>

## **SECTION 9** Physical and chemical properties

# Information on basic physical and chemical properties

Appearance	Pink Pearlescent Liquid		
Physical state	Liquid	Relative density (Water = 1)	1.00 - 1.02
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	6 - 8	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Non Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available

Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

h

## Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).
Chronic	Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Limited evidence shows that inhalation of the material is capable of inducing a sensitisation reaction in a significant number of individuals at a greater frequency than would be expected from the response of a normal population. Pulmonary sensitisation, resulting in hyperactive airway dysfunction and pulmonary allergy may be accompanied by fatigue, malaise and aching. Significant symptoms of exposure may persist for extended periods, even after exposure ceases. Symptoms can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes and passive smoking. There exists limited evidence that shows that skin contact with the material is capable either of inducing a sensitisation reaction in a significant number of individuals, and/or of producing positive response in experimental animals.

	TOXICITY		IRRITATION	
Pink Pearl Hand Soap	Not Available		Not Available	
	ΤΟΧΙΟΙΤΥ	IRRITAT	TION	
	Oral(Rat) LD50 >2000 mg/kg <sup>[2]</sup>	Eye: adverse effect observed (irritating) <sup>[1]</sup>		
sodium lauryl ether sulfate	Oral(Rat) LD50 1600 mg/kg <sup>[2]</sup>	Skin (rabbit):25 mg/24 hr moderate		
	Skin: adverse effect observed (irritating) <sup>[1]</sup>			
	ΤΟΧΙΟΙΤΥ	IRRITATION		
	dermal (rat) LD50: 1300 mg/kg <sup>[2]</sup>	Eye: adverse effect observed (irritating) <sup>[1]</sup>		
lauryldimethylbetaine	Oral(Rat) LD50 71 mg/kg <sup>[2]</sup>	Eye: SEVERE *		
		Skin: adverse effect observed (irritating) <sup>[1]</sup>		
		Skin: SEVERE *		
	ΤΟΧΙΟΙΤΥ		IRRITATION	
sodium chloride	12357 mg/kg <sup>[2]</sup>		Eye (rabbit): 10 mg - moderate	

	Oral(Mouse) LD50 =4000 mg/kg <sup>[2]</sup> Oral(Rat) LD50 3000 mg/kg <sup>[2]</sup>	Eye (rabbit):100 mg/24h - moderate Skin (rabbit): 500 mg/24h - mild	
Legend:	<ol> <li>Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances</li> </ol>		

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
		_ogonal	available or does not fill the criteria for classification to make classification

# **SECTION 12 Ecological information**

Endpoint Not Available		Test Duration (hr)           Not Available		Spe					Source Not Available	
				Not						
Endpoint T		Test Duration (hr)			Species		Value		Source	
NOEC 48				Fish			0.26mg/L 5		5	
Endpoint	Test	Duration (hr)		Species			Value		Source	
LC50	96			Fish				ca.2mg/L		2
EC50	48			Crustacea				2mg/L	2	2
EC50	72			Algae or other aquatic plants			2.5mg/L	2	2	
NOEC	72			Algae or other aquatic plants			0.73mg/L	2	2	
Endpoint	Test Du	ration (hr)	Speci	es		Val	lue			Source
LC50	96		Fish			100	1000-mg/L			4
EC50	48		Crustacea			-0.0	-0.00439-0.00565mg/L			4
EC50	72		Algae or other aquatic plants		-0.0	-0.02076-0.03617mg/L			4	
EC10	96		Algae	Algae or other aquatic plants		2.7	2.7000-mg/L			4
NOEC	24		Fish	Fish		0.0	0.0000002-mg/L			4
	Not Available         Endpoint         NOEC         Endpoint         LC50         EC50         EC10	Image: Not Available           Endpoint         Test           NOEC         96           EC50         48           EC50         72           NOEC         72           NOEC         96           EC50         72           NOEC         96           EC50         96           EC50         72           NOEC         96           EC50         88           EC50         72           EC50         72           EC50         96           EC50         96           EC50         96           EC50         96           EC50         96           EC50         96           EC50         96	Not Available         Not Available           Endpoint         Test Duration (Ir)           NOEC         48           Endpoint         96           EC50         48           EC50         72           NOEC         72           NOEC         96           EC50         72           Endpoint         Test Duration (hr)           LC50         96           EC50         72           EC50         48           EC50         96           EC50         72           EC50         72           EC50         72           EC50         72           EC50         72           EC10         96	Not AvailableNot AvailableEndpointTest Duration (hr)NOEC48EndpointTest Duration (hr)LC5096EC5048EC5072NOEC72NOEC72EndpointTest Duration (hr)EC5096Ec5072NOEC72EndpointTest Duration (hr)Ec5096EC5096EC5096EC5072AlgaeEC1096	Not AvailableNot AvailableNotEndpointTest Duration (hr)SpeciesEndpointTest Duration (hr)SpeciesLC5096FishCrustaceaEC5048CrustaceaAlgae or otherNOEC72Algae or otherAlgaeEndpointTest Duration (hr)SpeciesSpeciesEndpointTest Duration (hr)SpeciesSpeciesEc5096FishCrustaceaEC5096CrustaceaCrustaceaEC5072Algae or other aquaAlgae or other aquaEC5072Algae or other aquaCrustaceaEC1096Algae or other aquaCrustacea	Not AvailableNot AvailableNot AvailableEndpointTest Duration (hr)SpeciesNOEC48FishEC5096FishEC5048CrustaceaEC5072Algae or other aquatic plantsNOEC72Algae or other aquatic plantsEndpointTest Duration (hr)SpeciesEC5048CrustaceaEC5072Algae or other aquatic plantsNOEC72Algae or other aquatic plantsEc5096FishEC5096FishEC5096FishEC5096FishEC5096FishEC5096CrustaceaEC5096Algae or other aquatic plantsEC5096Algae or other aquatic plantsEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096CrustaceaEC5096Crustacea<	Not Available         Not Available         Not Available         Not Available         Not Available           Endpoint         Test Duration (hr)         Species         Fish         Image: Species         Species	Not AvailableNot AvailableNot AvailableNot AvailableNot AvailableEndpointTest Duration (hr)SpeciesValueNOEC48Fish0.26mg/LLC5096FishCrustaceaEC5048Crustacea $$	Not AvailableNot A	Not AvailableNot A

### DO NOT discharge into sewer or waterways.

### Persistence and degradability

sodium chloride

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium chloride	LOW	LOW

Bioaccumulative poten	tial
Ingredient	Bioaccumulation
sodium chloride	LOW (LogKOW = 0.5392)
Mobility in soil	
Ingredient	Mobility

# **SECTION 13 Disposal considerations**

Product / Packaging disposal

LOW (KOC = 14.3)

Waste treat	ment methods	
		Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their

area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate:

▶ Reuse	
Recycling	
<ul> <li>Disposal (if all else fails)</li> </ul>	
This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been	
contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be	
applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be	
appropriate.	
DO NOT allow wash water from cleaning or process equipment to enter drains.	
It may be necessary to collect all wash water for treatment before disposal.	
In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.	
Where in doubt contact the responsible authority.	
<ul> <li>Recycle wherever possible.</li> </ul>	
Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.	

### **SECTION 14 Transport information**

Labels Required		
Marine Pollutant	NO	
HAZCHEM	Not Applicable	

## Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### **SECTION 15 Regulatory information**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### sodium lauryl ether sulfate is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

# lauryldimethylbetaine is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

### sodium chloride is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

### **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (sodium lauryl ether sulfate; lauryldimethylbetaine; sodium chloride)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	No (sodium lauryl ether sulfate; lauryldimethylbetaine)
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

#### **SECTION 16 Other information**

Revision Date	11/1/2021
Initial Date	30/07/2015

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

- PC TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit₀ IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LUY: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value
- BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.